

hpar: The Human Protein Atlas in *R*

Laurent Gatto

Computational Proteomics Unit, University of Cambridge

October 17, 2016

Abstract

The Human Protein Atlas (HPA) is a systematic study of the human proteome using antibody-based proteomics. Multiple tissues and cell lines are systematically assayed affinity-purified antibodies and confocal microscopy. The *hpar* package is an *R* interface to the HPA project. It distributes three data sets, provides functionality to query these and to access detailed information pages, including confocal microscopy images available on the HPA web page.

Contents

1	Introduction	2
1.1	The HPA project	2
1.2	HPA data usage policy	3
1.3	Installation	3
2	The <i>hpar</i> package	4
2.1	Data sets.	4
2.2	HPA interface.	5
2.3	HPA release information	7
3	A small use case	7

Package

hpar 1.16.0

Report issues on <https://github.com/Bioconductor/hpar/issues>

Ask questions on <https://support.bioconductor.org/>

1 Introduction

1.1 The HPA project

From the Human Protein Atlas¹ [1, 2] site:

¹<http://www.proteinatlas.org/>

The Swedish Human Protein Atlas project, funded by the Knut and Alice Wallenberg Foundation, has been set up to allow for a systematic exploration of the human proteome using Antibody-Based Proteomics. This is accomplished by combining high-throughput generation of affinity-purified antibodies with protein profiling in a multitude of tissues and cells assembled in tissue microarrays. Confocal microscopy analysis using human cell lines is performed for more detailed protein localisation. The program hosts the Human Protein Atlas portal with expression profiles of human proteins in tissues and cells.

The *hpar* package provides access to HPA data from the *R* interface. It also distributes the following data sets:

hpaNormalTissue Normal tissue data: Expression profiles for proteins in human tissues based on immunohistochemistry using tissue micro arrays. The comma-separated file includes Ensembl gene identifier ("Gene"), tissue name ("Tissue"), annotated cell type ("Cell type"), expression value ("Level"), the type of annotation (annotated protein expression (APE), based on more than one antibody, or staining, based on one antibody only) ("Expression type"), and the reliability or validation of the expression value ("Reliability").

hpaCancer Cancer tumor data: Staining profiles for proteins in human tumor tissue based on immunohistochemistry using tissue micro arrays. The comma-separated file includes Ensembl gene identifier ("Gene"), tumor name ("Tumor"), staining value ("Level"), the number of patients that stain for this staining value ("Count patients"), the total amount of patients for this tumor type ("Total patients") and the type of annotation staining ("Expression type").

rnaGeneTissue RNA gene data: RNA levels in 45 cell lines and 32 tissues based on RNA-seq. The comma-separated file includes Ensembl gene identifier ("Gene"), analysed sample ("Sample"), fragments per kilobase of transcript per million fragments mapped ("Value" and "Unit"), and abundance class ("Abundance").

rnaGeneCellLine RNA gene data: RNA levels in 45 cell lines and 32 tissues based on RNA-seq. The comma-separated file includes Ensembl gene identifier ("Gene"), analysed sample ("Sample"), fragments per kilobase of transcript per million fragments mapped ("Value" and "Unit"), and abundance class ("Abundance").

hpaSubcellularLoc Subcellular location data: Subcellular localization of proteins based on immunofluorescently stained cells. The comma-separated file includes Ensembl gene identifier ("Gene"), main subcellular location of the protein ("Main location"), other locations ("Other location"), the type of

hpar: The Human Protein Atlas in *R*

annotation (annotated protein expression (APE), based on more than one antibody, or staining, based on one antibody only) ("Expression type"), and the reliability or validation of the expression value ("Reliability").

hpaSubcellularLoc14 Same as above, for version 14.

1.2 HPA data usage policy

The use of data and images from the HPA in publications and presentations is permitted provided that the following conditions are met:

- The publication and/or presentation are solely for informational and non-commercial purposes.
- The source of the data and/or image is referred to the HPA site (www.proteinatlas.org) and/or one or more of our publications are cited.

1.3 Installation

hpar is available through the Bioconductor project. Details about the package and the installation procedure can be found on its page². To install using the dedicated Bioconductor infrastructure, run :

²<http://bioconductor.org/packages/devel/bioc/html/hpar.html>

```
source("http://bioconductor.org/biocLite.R")
## or, if you have already used the above before
library("BiocInstaller") ## and to install the package
biocLite("hpar")
```

After installation, *hpar* will have to be explicitly loaded with

```
library("hpar")

## This is hpar version 1.16.0,
## based on the Human Protein Atlas
## Version: 15
## Release data: 2016.04.11
## Ensembl build: 78.38
## See '?hpar' or 'vignette('hpar')' for details.
```

so that all the package's functionality and data is available to the user.

2 The *hpar* package

2.1 Data sets

The data sets described above can be loaded with the `data` function, as illustrated below for `hpaNormalTissue` below. Each data set is a `data.frame` and can be easily manipulated using standard R functionality. The code chunk below illustrates some of its properties.

```
data(hpaNormalTissue)
dim(hpaNormalTissue)

## [1] 1159341      7

names(hpaNormalTissue)

## [1] "Gene"          "Gene.name"     "Tissue"
## [4] "Cell.type"     "Level"         "Expression.type"
## [7] "Reliability"

## Number of genes
length(unique(hpaNormalTissue$Gene))

## [1] 14578

## Number of cell types
length(unique(hpaNormalTissue$Cell.type))

## [1] 44

head(levels(hpaNormalTissue$Cell.type))

## [1] "adipocytes"          "bile duct cells"
## [3] "cells in endometrial stroma" "cells in glomeruli"
## [5] "cells in granular layer" "cells in molecular layer"

## Number of tissues
length(unique(hpaNormalTissue$Tissue))

## [1] 48

head(levels(hpaNormalTissue$Tissue))

## [1] "adrenal gland" "appendix"      "bone marrow"   "breast"
## [5] "bronchus"     "cerebellum"

table(hpaNormalTissue$Expression.type)

##
##      APE Staining
## 752442 406899
```

2.2 HPA interface

The package provides a interface to the HPA data. The `getHpa` allows to query the data sets described in section 2.1. It takes three arguments, `id`, `hpadata` and `type`, that control the query, what data set to interrogate and how to report results respectively. The HPA data uses Ensembl gene identifiers and `id` must be a valid identifier. `hpadata` must be one of available dataset. `type` can be either "data" or "details". The former is the default and returns a `data.frame` containing the information relevant to `id`. It is also possible to obtained detailed information, (including cell images) as web pages, directly from the HPA web page, using "details".

We will illustrate this functionality with using the TSPAN6 (tetraspanin 6) gene (ENSG00000000003) as example.

```
id <- "ENSG00000000003"
head(getHpa(id, hpadata = "hpaNormalTissue"))
```

##		Gene	Gene.name	Tissue	Cell.type
## 1	ENSG00000000003	TSPAN6	adrenal gland	glandular cells	
## 2	ENSG00000000003	TSPAN6	appendix	glandular cells	
## 3	ENSG00000000003	TSPAN6	appendix	lymphoid tissue	
## 4	ENSG00000000003	TSPAN6	bone marrow	hematopoietic cells	
## 5	ENSG00000000003	TSPAN6	breast	adipocytes	
## 6	ENSG00000000003	TSPAN6	breast	glandular cells	

```
##
```

##		Level	Expression.type	Reliability
## 1	Not detected		APE	Uncertain
## 2	Medium		APE	Uncertain
## 3	Not detected		APE	Uncertain
## 4	Not detected		APE	Uncertain
## 5	Not detected		APE	Uncertain
## 6	High		APE	Uncertain

```
getHpa(id, hpadata = "hpaSubcellularLoc")
```

##		Gene	Gene.name	Main.location	Other.location
## 1	ENSG00000000003	TSPAN6	Cytoplasm		

```
##
```

##		Expression.type	Reliability	Main.location.GO.id
## 1		APE	Uncertain	GO:0005737

```
##
```

##		Other.location.GO.id
## 1		

```
head(getHpa(id, hpadata = "rnaGeneCellLine"))
```

##		Gene	Gene.name	Sample	Value	Unit	Abundance
## 1	ENSG00000000003	TSPAN6	A-431	17.5	FPKM	Low	
## 2	ENSG00000000003	TSPAN6	A549	27.2	FPKM	Medium	
## 3	ENSG00000000003	TSPAN6	AN3-CA	32.9	FPKM	Medium	
## 4	ENSG00000000003	TSPAN6	BEWO	26.0	FPKM	Medium	
## 5	ENSG00000000003	TSPAN6	CACO-2	56.2	FPKM	High	
## 6	ENSG00000000003	TSPAN6	CAPAN-2	30.0	FPKM	Medium	

hpar: The Human Protein Atlas in R

If we ask for "detail", a browser page pointing to the relevant page is open (see figure 1)

```
getHpa(id, type = "details")
```




Figure 1: The HPA web page for the tetraspanin 6 gene (ENSG00000000003).

If a user is interested specifically in one data set, it is possible to set `hpar` data globally and omit it in `getHpa`. This is done by setting the `hpar` options `hpardata` with the `setHparOptions` function. The current default data set can be tested with `getHparOptions`.

```
getHparOptions()

## $hpar
## $hpar$hpardata
## [1] "hpaNormalTissue"

setHparOptions(hpardata = "hpaSubcellularLoc")
getHparOptions()

## $hpar
## $hpar$hpardata
## [1] "hpaSubcellularLoc"

getHpa(id)

##           Gene Gene.name Main.location Other.location
## 1 ENSG00000000003   TSPAN6      Cytoplasm
## Expression.type Reliability Main.location.GO.id
## 1           APE   Uncertain           GO:0005737
## Other.location.GO.id
## 1
```

2.3 HPA release information

Information about the HPA release used to build the installed *hpar* package can be accessed with `getHpaVersion`, `getHpaDate` and `getHpaEnsembl`. Full release details can be found on the HPA release history³ page.

³<http://www.proteinatlas.org/about/releases>

```
getHpaVersion()
## version
##      "15"

getHpaDate()
##      date
## "2016.04.11"

getHpaEnsembl()
## ensembl
## "78.38"
```

3 A small use case

Let's compare the subcellular localisation annotation obtained from the HPA sub-cellular location data set and the information available in the Bioconductor annotation packages.

```
id <- "ENSG00000001460"
getHpa(id, "hpaSubcellularLoc")

##      Gene Gene.name Main.location  Other.location
## 8 ENSG00000001460      STPG1      Nucleus Nuclear membrane
## Expression.type Reliability Main.location.GO.id
## 8      APE Supportive      GO:0005634
## Other.location.GO.id
## 8      GO:0031965
```

Below, we first extract all cellular component GO terms available for ENSG00000001460 from the *org.Hs.eg.db* human annotation and then retrieve their term definitions using the *GO.db* database.

```
library("org.Hs.eg.db")
library("GO.db")
ans <- select(org.Hs.eg.db, keys = id,
              columns = c("ENSEMBL", "GO", "ONTOLOGY"),
              keytype = "ENSEMBL")

## 'select()' returned 1:many mapping between keys and columns

ans <- ans[ans$ONTOLOGY == "CC", ]
```

```
ans

##           ENSEMBL           GO EVIDENCE ONTOLOGY
## 1 ENSG00000001460 GO:0005634      IEA      CC
## 2 ENSG00000001460 GO:0005737      IEA      CC

sapply(as.list(GOTERM[ans$GO]), slot, "Term")

## GO:0005634 GO:0005737
## "nucleus" "cytoplasm"
```

Session information

- R version 3.3.1 (2016-06-21), x86_64-w64-mingw32
- Locale: LC_COLLATE=C, LC_CTYPE=English_United States.1252, LC_MONETARY=English_United States.1252, LC_NUMERIC=C, LC_TIME=English_United States.1252
- Base packages: base, datasets, grDevices, graphics, methods, parallel, stats, stats4, utils
- Other packages: AnnotationDbi 1.36.0, Biobase 2.34.0, BiocGenerics 0.20.0, GO.db 3.4.0, IRanges 2.8.0, S4Vectors 0.12.0, hpar 1.16.0, org.Hs.eg.db 3.4.0
- Loaded via a namespace (and not attached): BiocStyle 2.2.0, DBI 0.5-1, RSQLite 1.0.0, evaluate 0.10, formatR 1.4, highr 0.6, knitr 1.14, magrittr 1.5, stringi 1.1.2, stringr 1.1.0, tools 3.3.1

References

- [1] Mathias Uhlén, Erik Björling, Charlotta Agaton, Cristina Al-Khalili A. Szigyanto, Bahram Amini, Elisabet Andersen, Ann-Catrin C. Andersson, Pia Angelidou, Anna Asplund, Caroline Asplund, Lisa Berglund, Kristina Bergström, Harry Brumer, Dijana Cerjan, Marica Ekström, Adila Elobeid, Cecilia Eriksson, Linn Fagerberg, Ronny Falk, Jenny Fall, Mattias Forsberg, Marcus Gry G. Björklund, Kristoffer Gumbel, Asif Halimi, Inga Hallin, Carl Hamsten, Marianne Hansson, My Hedhammar, Görel Hercules, Caroline Kampf, Karin Larsson, Mats Lindskog, Wald Lodewyckx, Jan Lund, Joakim Lundeberg, Kristina Magnusson, Erik Malm, Peter Nilsson, Jenny Odling, Per Oksvold, Ingmarie Olsson, Emma Oster, Jenny Ottosson, Linda Paavilainen, Anja Persson, Rebecca Rimini, Johan Rockberg, Marcus Runeson, Asa Sivertsson, Anna Skölleremo, Johanna Steen, Maria Stenvall, Fredrik Sterky, Sara Strömberg, Mårten Sundberg, Hanna Tegel, Samuel Tourle, Eva Wahlund, Annelie Waldén, Jinghong Wan, Henrik Wernérus, Joakim Westberg, Kenneth Wester, Ulla Wrethagen, Lan Lan L. Xu, Sophia Hober,

and Fredrik Pontén. A human protein atlas for normal and cancer tissues based on antibody proteomics. *Molecular & cellular proteomics : MCP*, 4(12):1920–1932, December 2005. URL:

<http://dx.doi.org/10.1074/mcp.M500279-MCP200>,
[doi:10.1074/mcp.M500279-MCP200](https://doi.org/10.1074/mcp.M500279-MCP200).

- [2] Mathias Uhlen, Per Oksvold, Linn Fagerberg, Emma Lundberg, Kalle Jonasson, Mattias Forsberg, Martin Zwahlen, Caroline Kampf, Kenneth Wester, Sophia Hober, Henrik Wernerus, Lisa Björling, and Fredrik Ponten. Towards a knowledge-based Human Protein Atlas. *Nature biotechnology*, 28(12):1248–1250, December 2010. URL:

<http://dx.doi.org/10.1038/nbt1210-1248>, [doi:10.1038/nbt1210-1248](https://doi.org/10.1038/nbt1210-1248).